



FOR MORE INFORMATION, PLEASE CONTACT US

Operations Director

Per Hansson

+46 706885925

per.hansson@bruks-siwertell.com

SCAN THE QR-CODE:

And view the Page online,
where you will have access
to more information



IN MANY GRAIN TERMINALS, REDUNDANCY HAS LONG BEEN DEFINED BY DUPLICATION

Two unloaders. Identical capacity. A structure that appears robust on paper, but in practice introduces a critical vulnerability.

When redundancy is built on parallel machines, operational resilience is effectively split in half. The moment one unloader becomes unavailable, capacity is immediately reduced by 50 percent. The consequences are tangible and often costly: extended vessel turnaround times, increased congestion risk, and a direct impact on overall terminal efficiency.

WHEN REDUNDANCY CUTS CAPACITY IN HALF

This raises an important question: is duplicating equipment truly delivering redundancy, or simply distributing risk?

IS DUPLICATION REALLY REDUCING RISK?

A resilient operation should not depend on maintaining all components in perfect condition. True redundancy is defined by the ability to sustain full performance, even in the event of a failure.

FROM PERCEIVED SECURITY TO REAL VULNERABILITY

It is not about how many machines are installed, but how the system performs when conditions are no longer ideal.

WHAT DEFINES TRUE OPERATIONAL RESILIENCE?

Achieving this level of operational continuity requires a different approach to system design, one where capacity is not divided but secured. Where performance is engineered into the process, not assumed through duplication.

SECURE CAPACITY - DON'T DIVIDE IT

For terminal operators facing increasing pressure on efficiency, turnaround times, and reliability, redefining redundancy is no longer optional. It is a strategic decision that directly impacts competitiveness, cost control, and long-term performance.

REDUNDANCY AS A STRATEGIC ADVANTAGE

How redundancy is defined within your operation will ultimately determine how resilient it truly is.