



1006 CHIPPER

1006 CHIPPER

Based on decades of development, the 1006 Bruks mobile chipper is our largest and most heavy-duty drum chipper. These particular units are installed on forwarders, trucks or other suitable carriers.

The 1006 chipper can be used within a terminal or at the roadside for the high-capacity production of fuel chips and micro-chips from energy wood and forest residues. It has the ability to process full-length trees and logs up to a diameter of 60cm for softwood and up to a maximum diameter of 50cm for hardwood, as well as brushwood.

PRODUCT INFORMATION:

Drum chipper

The 1006 series of Bruks mobile chippers feature a heavy-duty drum chipper. These can be fitted either with their own self-contained 585kW (796hp) diesel engine, or powered by the truck's 515 to 590kW (700 to 800hp) diesel engine via a gearbox, driveshaft, and belt transmission. Both assembly options ensure the high-torque properties needed for very high capacity chip production.

The 1006 chipper is designed for heavy-duty applications. The drum chipper has a welded, robust housing with any parts exposed to wear and tear made of Hardox steel. It has an enclosed chipping drum with the chips discharged via a chip accelerator and chip tube. A combination that provides the most energy-efficient chipping process and a consistently high chip quality.

Effective feeds

The hydraulically driven feed units have a large, powerful upper feed roller, which can be raised and lowered. A long infeed table is equipped with hydraulically powered rollers. These have Hardox steel teeth designed with an aggressive form to ensure an efficient infeed. The feed openings for the chipper drum have a height of 720mm with a width of 1.2m.

The table's width, length and high sides makes it very easy to feed in a variety of materials from logging residues, whole trees and logs. The table is also equipped with an extra turning point on the lower feed unit, providing a lower height, raised infeed table during transport.

Drum and transport

FACTS

TAGS:

- ON ROAD
- TERMINAL

SUMMARY:

In the series of BRUKS Mobile Chippers, the 1006 is the biggest and most robust drum chipper.

PRODUCT AREA:

- CHIPPING

PRODUCT:

- CHIPPING

PLEASE CONTACT US FOR MORE INFORMATION

Sales Sweden / Norway / Denmark - Mobile Chippers

Daniel Larsson-Snygg
 +46 70 670 17 65
 daniel.larsson-snygg@bruks-siwertell.com

Sales & Market Manager Forest - Mobile Chippers

Christian Ehn
 +46 70 699 31 10
 christian.ehn@bruks-siwertell.com

Sales Support - Mobile Chippers

Jonas Delin
 +46 72 522 98 75
 jonas.delin@bruks-siwertell.com

Export Sales - Mobile Chippers

Peter Håkansson
 +46 70 821 08 20
 peter.hakansson@bruks-siwertell.com

SCAN THE QR-CODE:

And view the Page online,
 where you will have access
 to more information



The chipper drum has four entire knife-mounting positions, making it possible to easily shift between chipping with four knives for the production of fuel chips or with eight knives for the production of micro-chips.

Chipper drum has a diameter of 1.0m and a speed of about 750rpm at maximum engine speed, giving a high torque during chipping operations. The chipper drum has a full metal jacket design with replaceable wear parts. The anvil, with shear bolts, is positioned to minimize damage in case scrap material enters the chipper.


Chip transport takes place through a screen into an integrated hydraulically powered chip accelerator, which does not use additional air, reducing spillage and dust emissions. From the accelerator, wood chips are funnelled out through the chip tube for optimal, precise ejection of the chips.

The entire chipper is built for easy, safe maintenance. The knives are readily accessible through the hydraulically foldable hood and Hardox steel wear parts are easily replaceable.

TECH SPECIFICATION:

Product data sheet

Type	Value
Transport width(A) [mm]	2500
Transport height (B) [mm]	2400
Infeed table (C) [mm]	1650
Width infeed (D) [mm]	1200
Width infeed table (E) [mm]	2350
Weight complete unit approximately [metric ton]	9t
Diameter chipper drum[mm]	1000
Infeed opening W x H [mm]	1200 x 720
Adjustable chip length [mm]	10-45
Max diameter, softwood [mm]	600
Max diameter, hardwood [mm]	500
Capacity [m ³ /h]	150-250
Recommended power [kW/hp]	515-590/700-800

Files:
[Product Data Sheet 1006 Chipper 2021 \(282.85 KB\)](#)

ACCESSORIES:
Optional Accessories:
Alternative Equipment

- Knife settings and configurations for different conditions
- Chip screens available in different sizes
- Infeed table with a range of roller numbers and different table sides
- Chip tubes available in various sizes
- Chip deflectors, basic or dual

- Customized paintwork

Accessories

- LED work lights
- Kits with knives and wear parts

RELATED PRODUCT ARTICLES:

- [806.2 Chipper](#)
- [Mobile Chipper 806.2 PT Trailer](#)
- [Mobile Chipper 806.3 ST](#)
- [Mobile Chipper 806.3 STC](#)
- [Mobile Chipper 806.2 PT Truck](#)
- [Mobile Chipper 806.2 PTC Truck](#)
- [Mobile Chipper 1006.2 ST](#)
- [Mobile Chipper 1006 PT Truck](#)
- [Mobile Chipper 1006.3 RT](#)